

is a light weight and precast unit fabricated by composite materials through compaction under a vacuum and high pressure combined process.

It integrates aesthetic appealing, multi-functions and load-bearing, and solves almost possible grating problems.

With this product, architects can blend drain trenches into their hardscape design and no longer worry about the non-matching grating to destroy their dedicated floor canvas artwork.

Since 2022, Innovation and Technology Commission of HKSAR will support the continuous Research and Development of FIBPRRO® SYNTHETEC® material through his Innovation and Technology Fund so that to manufacture this stone grating in Hong Kong domestic in closed future.

合成石材渠蓋板(疏冷)是一種輕質預製件 ·由複合材料通過在結合真空和高壓的生產 過程中澆鑄壓實而製成。

它集美學,多功能和承重於一身,並解決了 幾乎所有的渠蓋板問題。 使用此產品,建 築師可以把排水溝作為一個佈局元素融合到 他們的硬景觀設計中,而不用擔心不匹配的 渠蓋板會破壞他們匠心獨具的設計。

由2022年開始,香港特別行政區創新科技處透過其轄下創新及科技基本將資助FIBPRRO® SYNTHETEC® 石材的繼續研發以期在不久將來能在香港本地生產此合成石材渠蓋。

Group 1 |

PEDESTRIAN







STANDARD PRODUCT as Brochure Page 17-18 for standard size, color and pattern, Pedestrian Grade

Model no.	Length	Width	Thickness*	Drain Hole Pattern & Finishing	Unit Rate (HK\$)
FPS-001	500 / 600	200	25 / 30 / 40	Square Hole	620
FPS-002	500 / 600	300	25 / 30 / 40	Square Flore	660
FPS-003	500 / 600	400	25 / 30 / 40	Round Hole	700
FPS-004	500 / 600	500	30 / 40 / 50	Double Slot	760
FPS-005	500 / 600	600	40 / 50 / 60	Single Slot	850

CUSTOMER MADE PRODUCT as Brochure Pages 19-20 for standard size, color and pattern, Pedestrian Grade

Model no.	Length	Width	Thickness*	Drain Hole Pattern & Finishing	Unit Rate (HK\$)
FPC-001	500 / 600	200	25 / 30 / 40		680
FPC-002	500 / 600	300	25 / 30 / 40	Tailored	720
FPC-003	500 / 600	400	25 / 30 / 40	to	800
FPC-004	500 / 600	500	30 / 40 / 50	Selection	880
FPC-005	500 / 600	600	40 / 50 / 60		980

^{*} The thickness of product depends on the loading requirement







^{1.} Grating integrates a R11 – R12 anti-slip surface and color matching service

^{2.} Prices may be slightly adjusted subjected to ordering quantity and business conditions

Group 2 |

LIGHT VEHICLE DRIVEWAY





STANDARD PRODUCT as Brochure Page 17-18 for standard size, color and pattern, Light Vehicle Driveway Gade

Model no.	Length	Width	Thickness*	Drain Hole Pattern & Finishing	Unit Rate (HK\$)
FLS-001	500 / 600	200	40 / 50 / 60		800
FLS-002	500 / 600	300	40/50/60	Square Hole	950
FLS-003	500 / 600	400	40 / 50 / 60	Round Hole	1,100
FLS-004	500 / 600	500	40/50/60	Double Slot	1,300
FLS-005	500 / 600	600	40 / 50 / 60	Single Stot	1,500

CUSTOMER MADE PRODUCT as Brochure Pages 19-20 for standard size, color and pattern, Light Vehicle Driveway Grade

Model no.	Length	Width	Thickness*	Drain Hole Pattern & Finishing	Unit Rate (HK\$)
FLC-001	500 / 600	200	40 / 50 / 60		1,000
FLC-002	500 / 600	300	40/50/60	Tailored	1,150
FLC-003	500 / 600	400	40 / 50 / 60	to	1,300
FLC-004	500 / 600	500	40/50/60	Selection	1,500
FLC-005	500 / 600	600	40 / 50 / 60		1,700

^{*} The thickness of product depends on the loading requirement







^{1.} Grating integrates a R11 – R12 anti-slip surface and color matching service

^{2.} Prices may be slightly adjusted subjected to ordering quantity and business conditions

Group 3 |

E.V.A / HEAVY VEHICLE CARRIAGEWAY







STANDARD PRODUCT as Brochure Page 17-18 for standard size, color and pattern, E.V.A / Heavy Vehicle Carriageway Gade

Model no.	Length	Width	Thickness*	Drain Hole Pattern & Finishing	Unit Rate (HK\$)
FHS-01	500 / 600	200	50 / 60 / 70		1,600
FHS-02	500 / 600	300	60 / 70 / 80	Square Hole	1,900
FHS-03	500 / 600	400	70 / 80 / 90	Round Hole	2,400
FHS-04	500 / 600	500	90/100/110	Double Slot	2,900
FHS-05	500 / 600	600	100 / 110 / 120	Single Slot	3,500

CUSTOMER MADE PRODUCT as Brochure Pages 19-20 for standard size, color and pattern, E.V.A / Heavy Vehicle Carriageway Grade

Model no.	Length	Width	Thickness*	Drain Hole Pattern & Finishing	Unit Rate (HK\$)
FHC-01	500 / 600	200	50 / 60 / 70		1,900
FHC-02	500 / 600	300	60 / 70 / 80	Tailored	2,300
FHC-03	500 / 600	400	70 / 80 / 90	to	2,800
FHC-04	500 / 600	500	90/100/110	Selection	3,400
FHC-05	500 / 600	600	100 / 110 / 120		4,000

^{*} The thickness of product depends on the loading requirement







^{1.} Grating integrates a R11 – R12 anti-slip surface and color matching service

^{2.} Prices may be slightly adjusted subjected to ordering quantity and business conditions